

Intensive Feeding schedule Schils Calf Milk Replacer (Bucket feeding)



Week	Powder g/l	Liter/Meal	Feeding/Day	Remark
Day 1-2	Colostrum	1,50 *	up to 4 times	Quick, Quality, Quantity
Day 3-7	140	1,50 – 2,00	(2 to) 3	From day 5: water
2	140	2,50 – 3,00	2	Water, Concentrate
3	140	3,50 – 4,00	2	Water, Concentrate, Hay/straw
4 - 6	140	3,50 – 4,00	2	Water, Concentrate, Hay/straw
7	140	3,00	2	Water, Concentrate, Hay/straw
8	140	2,50	2	Water, Concentrate, Hay/straw
9	140	2,00	2	Water, Concentrate, Hay/straw
10	140	2,00	1	Water, Concentrate, Hay/straw

***If possible, administer 4 litres of Colostrum within the first 6 hours after birth**

Important:

- Mix CMR at a water temperature of 45° - 50°C
- Drinking temperature: 38° to 42°C
- The total volume is most important for the right concentration!!
For example: 1 litre of CMR = 140 gr powder + 860 ml water
- Offer fresh, clean water every day.
- If environmental temperature <0°C, increase feed quantity with approx. 10% per calf/per day.

The feeding schedule is a recommendation. The development and the condition of the animals is the most important indicator!!



Schils

Schils bv
Dr. Nolenslaan 121
6136 GM Sittard
The Netherlands
T +31 (0)46 45 99 900
F +31 (0)45 45 99 999
Info@schils.com
www.schils.com